

# WAVE

dental laboratory

t : 0115 940 9226  
 m : 07534 119977  
 e : info@wavedentallab.co.uk  
 w : wavedentallab.co.uk

Sterling House  
 59 Loughborough Road  
 West Bridgford  
 Nottingham  
 NG2 7LA

Unique Case Number

### Metal Ceramic

- Bonded Crown
- Bonded Bridge
- Cast or 3/4 Crown
- Gold Inlay
- Etch retained wing
- Post and core
- Implant
- Study Models

### All Ceramic

- High Aesthetic Zirconia
- Full Contour Zirconia
- e.Max + Zirconia Cr / Br
- UltraZi Bleached Zirconia
- e.Max Crown / Inlay / Veneer
- Implant - Cement Retained
- Implant - Screw Retained
- Composite Inlay / Veneer

Practice Address :

Prescribing Dentist's name :

This device is for the exclusive use of:

Patient's Name :

Gender:  Age:

Shade :


### Denture

- Acrylic
- Chrome
- Implant Retained
- Flexi Denture

### Other

- Clear Aligner
- Smile Design Wax Up
- Bleaching Tray
- Soft Splint

### Notation



### Level of service

Standard  Independent  Private

Express  Express-Plus

### Special Instructions :

Completed work required by :  
 Day before appointment please

Spec. Tray

Bite

Try-In

Re Try-In

Finish

*Official use*

Items supplied : Upper  Lower  Triple Tray

This device conforms to essential requirements in Annex one of the medical devices directive and this is a statement for that purpose. Any requirements not met are identified above and clearly marked as such. MHRA Reg. No. CA010336

# WAVE

dental laboratory

t : 0115 940 9226  
 m : 07534 119977  
 e : info@wavedentallab.co.uk  
 w : wavedentallab.co.uk

Sterling House  
 59 Loughborough Road  
 West Bridgford  
 Nottingham  
 NG2 7LA

Unique Case Number

### Metal Ceramic

- Bonded Crown
- Bonded Bridge
- Cast or 3/4 Crown
- Gold Inlay
- Etch retained wing
- Post and core
- Implant
- Study Models

### All Ceramic

- High Aesthetic Zirconia
- Full Contour Zirconia
- e.Max + Zirconia Cr / Br
- UltraZi Bleached Zirconia
- e.Max Crown / Inlay / Veneer
- Implant - Cement Retained
- Implant - Screw Retained
- Composite Inlay / Veneer

Practice Address :

Prescribing Dentist's name :

This device is for the exclusive use of:

Patient's Name :

Gender:  Age:

Shade :


### Denture

- Acrylic
- Chrome
- Implant Retained
- Flexi Denture

### Other

- Clear Aligner
- Smile Design Wax Up
- Bleaching Tray
- Soft Splint

### Notation



### Level of service

Standard  Independent  Private

Express  Express-Plus

### Special Instructions :

Completed work required by :  
 Day before appointment please

Spec. Tray

Bite

Try-In

Re Try-In

Finish

*Official use*

Items supplied : Upper  Lower  Triple Tray

This device conforms to essential requirements in Annex one of the medical devices directive and this is a statement for that purpose. Any requirements not met are identified above and clearly marked as such. MHRA Reg. No. CA010336